

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3255	spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:36
S2	68527	S1 ((media adj access adj control) or mac)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 14:15
S3	684	S1 ((media adj access adj control) or mac)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/25 14:15
S4	509	S3 (((internet adj protocol) or ip) near5 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/25 14:16
S5	187	S4 bound	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/25 14:17
S6	146	S5 source same address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/25 14:18
S7	143	S6 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/08 13:11
S8	3285	spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:11

S9	691	S8 ((media adj access adj control) or mac)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/08 13:11
S10	514	S9 (((internet adj protocol) or ip) near5 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/08 13:11
S11	187	S10 bound	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/08 13:11
S12	146	S11 source same address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/08 13:11
S13	143	S12 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/08 13:11
S14	89	S13 (alert or alarm or notify)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/08 14:55
S15	36	S14 (system adj administrat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/08 15:30
S31	6954	713/150-154,200-201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 09:20

S32	528	S31 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/10 09:21
S33	105	S32 ip same mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/10 09:26
S35	42	S33 arp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/10 10:23
S36	15296	709/220-225,230-237.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/10 10:24
S37	21	709/220-225,230-237.ccls. 719/311, 319.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/10 10:26
S38	15491	709/220-225,230-237.ccls. 719/311, 319.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:25
S39	216	719/311,319.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:25
S40	317	S38 (ip same mac) arp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/10 10:26

S41	190	S40 gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/10 10:30
S42	29	S41 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/10 10:30
S43	38	S40 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/10 12:13
S47	1966	thomsen.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/10 15:55
S50	8008	"3" ip same mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/10 16:02
S59	1	("6631416").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/13 09:31
S82	110	spoof\$3 (ip same mac) (bind\$3 or bound) administrator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/13 13:09
S83	31	spoof\$3 (ip same mac) (bind\$3 or bound) administrator apr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/13 13:13
S84	55	spoof\$3 (ip same mac) (bind\$3 or bound) administrator arp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/13 14:52

S88	218	((denial near3 service) or dos) same spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/13 16:06
S99	3029	mac same (gateway or router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/14 12:19
S10 0	852	mac same (gateway or router) arp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/14 12:20
S10 1	838	(mac same (gateway or router)) arp ip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/14 12:20
S10 2	80	(mac same (gateway or router)) arp ip spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/14 12:20
S10 4	219	((denial near3 service) or dos) same spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/14 12:52
S10 5	59	S104 (ip same mac)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/14 12:52
S10 9	324	secur\$5 (ip same mac) spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/14 15:11

S11 0	386	arp (routing near5 table) administrator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/14 15:12
S11 1	31	S109 arp (routing near5 table) administrator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/14 15:12
S12 2	2994	pool same ip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/15 09:28
S12 3	246	S122 arp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/15 09:28
S12 4	55020	"12" mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/15 09:29
S12 5	163	S123 mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/15 09:29
S12 6	23	S125 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/15 10:29
S13 3	20586	multiple near5 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/15 10:31

S13 4	871	S133 mac same ip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/15 10:31
S13 5	162	S134 arp subnet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/15 10:53
S16 0	464	forward\$3 same dhcp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 10:31
S16 1	33	S160 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/16 10:28
S16 2	93	forward\$3 same (dhcp near5 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 10:31
S16 3	8	S162 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/16 11:24
S16 4	17	spoof\$3 (multi-home\$2 or (multi adj home\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/16 12:09
S16 5	6	(multi-home\$2 or (multi adj home\$2)) same mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/16 12:13

S16 6	1743	mac same (ip near2 addresses)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/16 12:13
S16 7	186	S166 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/16 12:26
S16 8	78393	assign\$5 same address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/16 12:26
S16 9	3024	S168 mac same ip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/16 12:27
S17 0	268	S169 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/16 12:57
S17 1	3849	mac with ip with addresses	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/16 13:01
S17 2	305	S171 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/16 12:57
S17 3	292	S172 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/16 12:57

S17 4	870	mac with ip with addresses with number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/16 13:01
S17 5	61	S174 spoof\$3 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/16 13:23
S17 6	3332	709/238-244.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/16 13:24
S17 7	508	S176 redundant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/16 13:25
S17 9	106	S176 redundant same address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/16 13:25
S18 0	29	S179 mac same ip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/16 14:17
S18 2	339	allocat\$3 same (ip near2 address) same mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/16 14:18
S18 6	1	("20030043853").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/21 07:21
S19 7	1404	hijack\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 10:33

S198	26288	S197 arp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 10:33
S199	30	S197 arp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/20 10:35
S200	26	S199 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/20 10:35
S201	18	S200 (ip same mac)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/20 11:40
S204	5	(ip adj address) near3 hijack\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/20 11:59
S207	124	"5884024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/20 12:45
S209	67	S207 dhcp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/20 12:47
S210	64	S207 dhcp (ip adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/22 14:12

S21 4	464	dhcp same forward\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/20 14:55
S21 5	33	S214 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/20 15:39
S21 6	184	S214 arp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/20 15:09
S21 7	1016	arp near3 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/20 15:42
S21 8	184	S216 forward\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/20 15:40
S21 9	649	S217 forward\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/20 15:41
S22 0	79	S219 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/20 15:41
S22 1	256	(arp near3 request) same forward\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/20 15:43

S22 2	29	S221 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/20 15:43
S25 0	558	dhcp same log\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/21 15:54
S25 1	51	S250 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/21 16:05
S25 2	291	dhcp same (ip adj address) same forward\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/21 16:15
S25 3	25	S252 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/21 16:06
S27 4	9624	709/223-226.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/22 11:13
S27 5	1652	S274 (predefined or limit\$3) same address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/22 11:00
S27 6	220	S275 dhcp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/22 11:07

S27 7	3943	predefined adj3 limit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/22 11:09
S27 8	101	S277 ip adj address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/22 11:08
S27 9	94	(predefined adj3 limit) same assign\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/22 11:10
S28 0	789	S274 (allocat\$4 same address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/22 11:14
S28 2	878	S274 (allocat\$4 same address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/22 11:14
S28 3	777	S282 limit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/22 11:15
S28 4	330	S282 (limit\$3 same device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/22 11:15
S28 5	321	S284 network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/22 11:15